How Linked List are Stored inside the Computer

- One of the few data structures that will become very clear in assembler is the linked list because you will need to manipulate the low level addresses to traverse the entire list
- A computer program needs information to do its work (solve some problem)

A linked list is one of the many **data structures** that Computer Science has developed to manage/organize information

The linked list is a **dynamic** structure, i.e., the number of elements in a linked list can **increase** and **decrease** in time

(In contrast, the array data structure is static, number of elements stays constant)

- Structure of a linked list element
 - A linked list element always consists of 2 parts...
 - A **data** part consisting of one or more variables that hold the actual information you want to stored
 - A linkage part consisting of one or more reference variables that hold addresses of the neighboring linked list elements

Symbolically:

- Structure of a linked list
 - A linked list consists of zero or more linked list elements **chained** together by their **linkage** parts.
 - The special reference value null indicates "no more elements"
 - The data parts of the elements chained would contain the actual information stored

Symbolically:

A simple linked list:

+----+ -->+----+ -->+----+

infol	/	info2	/	info3	
	/	I	/		
++ /		++ /		+	-+
ref1	-	ref2	-	null	
++		++		++	

• The linked list elements are linked together by using references which are addresses

Each linked list element is located **somewhere** in memory, and thus, each linked list element has a **starting** memory address

The linkage reference variables contains the address of the next linked list element

Example: the above linked list of 3 element would be linked together as follows:

```
We have to make some assumptions to do the example.
The assumptions are:
    First element of linked is is located at address 8000
    Second element of linked is is located at address 10000
    Third element of linked is is located at address 9000
Memory:
               _____
    +----+
8000 | info1 | Linked list element 1
    +----+
     | ref1=10000 |-----+
     +----+
    1
     +----+
      . . . . . . .
    +----+
9000 | info3 | Linked list element 3 <----+
    +----+
                                    | ref3=0 (null) |
+----+
                                    . . . . . . .
                                    . . . . . . .
    +----+
                                    10000 | info2 | Linked list element 2 | <----+
    +----+
    | ref2=9000 |-----+
     +----+
```

- Notice that although I drew arrows from one linked list element to the next one, these arrows are just imaginary ones represented by the address value contained by the "ref" variables
 (A reference in Computer Science is the same as a memory address !)
- (interestence in comparer serence is the same as a memory address .)
- To access the **entire** linked list (i.e., to access **all** elemenets in the linked list), you (only) need to know the **location** (**address**) of the **first** list element

That is why you need an extra variable usually called **head** that contains a reference (**address**) of the first element in the linked list:

Symbolically:

```
The user view of a linked list:

head

+---->| info1 | / | info2 | / | info3 |

+----+ | / | / | | / | | |

+----+ | / | / | | / | | |

| ref1 |- | ref2 |- | null |

+----+ + +---++ +---++
```

This is what happens in reality:

```
Memory:
 +----+
head: | 8000 |-----+
    +----+
             . . . . . . .
     . . . . . . .
    +----+
8000 | info1 | Linked list element 1 <----+
    +----+
    | ref1=10000 |----+
    +----+
              1
    +----+
     . . . . . . .
     . . . . . . .
    +----+
9000 | info3 | Linked list element 3 <----+
    +----+
    | ref3=0 (null) |
    +----+
     . . . . . . .
     . . . . . . .
    +----+
10000 | info2 | Linked list element 2 | <----+
    +----+
                                1
    | ref2=9000 |-----+
    +----+
```